

Expert
Flow Solutions
for Paint &
Coatings

PAINT MARKET Product Brochure



Where Innovation Flows

ECCENTRIC DISC PUMPS
PERISTALTIC (HOSE) PUMPS
ROTARY VANE PUMPS



mouvex.com




Consistent. Efficient. Safe.

Mouvex Pump Technologies are the Solution for Your Paint & Coatings Manufacturing Process

Paint & Coatings Manufacturing Challenges:


Paint & Coatings manufacturers face the following challenges in their day-to-day operations:

Limiting emissions from ozone forming



water- and solvent-borne paint making process must have the following attributes to meet those day-to-day challenges:

- Reliability
- Energy efficiency
- Sealing integrity
- Volumetric consistency













Mouvex Pumps:

The Solution for the Challenges of Paint & Coatings Production

- Consistent performance (flow, pressure, and volumetric efficiency) due to unique wear compensation system
- Product recovery (pipeline stripping), means profit recovery
- Non-pulsating, smooth flow
- Self-priming
- Easy and simple to maintain
- High volumetric efficiency
- No bushings in contact with the liquid (no polymerization risk)
- · Low shear
- No temperature intake
- Ability to run dry, even in hazardous areas
- ATEX certified
- Clean-in-Place (CIP) capable for the ultimate in convenience and cleanliness
- Unique seal-less principle, no magnets involved

Mouvex® features a variety of leading pump technologies that include eccentric disc, rotary vane, and peristaltic to meet virtually any application challenge throughout the Paint & Coatings production process.










Quality. Control. Uptime.

Mouvex Pump Technologies are the Solution for Your Paint & Coatings Process

Roller Coating




Paint & Coatings User Challenges:

Paint & Coatings **users** face the following challenges in their day-to-day operations:

- Final quality of the coating or application of paint
- Cost control
- · Minimization of product loss
- Energy control and savings
- · Optimization of equipment uptime










Dip Coating







Mouvex Pumps:

The Solution for the Challenges for Paint & Coatings Users

- Consistent performance (flow, pressure, and volumetric efficiency) due to unique wear compensation system
- · Product recovery (pipeline stripping), means profit recovery
- Non-pulsating, smooth flow
- Self-priming
- Easy and simple to maintain
- · High volumetric efficiency
- No bushings in contact with the liquid (no polymerization risk)
- Low shear
- No temperature intake
- Ability to run dry, even in hazardous areas
- ATEX certified
- Clean-in-Place (CIP) capable for the ultimate in convenience and cleanliness
- Unique seal-less principle, no magnets involved



Reliability. Integrity. Consistency.

Mouvex Pump Technologies: The Solution for Your Paint & Coatings Processes

Mouvex® features a variety of leading pump technologies that include eccentric disc, rotary vane, and peristaltic to meet virtually any application challenge throughout the Paint & Coatings production and usage process.

A Series — Eccentric Disc Pump

The simple, reliable pump for basic fluids. Up to 55 m³/hr (242 gpm)



Applications:

- Solvents unloading
- Solvents transfer
- Additives Transfer

Features & Benefits:

- Line stripping
- Constant performance vs.
 - Pressure
 - Viscosity
 - Wear
- · Easy and limited maintenance
- Runs in reverse, enabling the pumping back of various products
- Can transfer viscous, non-lubricating volatile or delicate fluids

P Series - Rotary Vane Pump

The heavy-duty pump for viscous resins unloading. Up to 110 m³/hr (484 gpm)

Applications:

- · Resins unloading
- Transfer of nonlubricating, abrasive and corrosive products commonly found in Paint & Coatings applications

Features & Benefits:

- Line stripping
- Reversible
- · On site replacement of wearing parts
- · Easy and limited maintenance





C Series - Eccentric Disc Pump

The versatile seal-less ductile pump for various applications. Up to 18 m³/hr (79.3 gpm)



Applications:

- · Resins transfer
- Predispersion outlet
- Grinding inlet
- Grinding outlet
- Stocking
- Conditioning

Features & Benefits:

- · Line stripping
- Product Recovery
- Constant performance vs.
 - Pressure
 - Viscosity
 - Wear
- No mechanical seals or bushings in contact with the liquid (no polymerization risk)
- Low shear

SLC Series — Eccentric Disc Pump

The seal-less stainless steel pump for premium products. Up to 36 m³/hr (159 gpm)

Applications:

- · Resins transfer
- Predispersion outlet
- Grinding inlet
- Grinding outlet
- Stocking
- Conditioning

Features & Benefits:

- · Line stripping
- Product Recovery
- Constant performance vs.
 - Pressure
 - Viscosity
 - Wear
- No mechanical seals or bushings in contact with the liquid (no polymerization risk)
- Pulse-free, slip-free and low-shear flow even with varying viscosity and back pressure conditions.



Abaque[™] Series – Peristaltic (Hose) Pump

The pump able to withstand the most abrasive and solids loaded fluids. Up to 77 m³/hr (339 gpm)



Applications:

- Pregrinding transfer
- Abrasive fluids transfer
- Moves everything from viscous, highly abrasive solutions to water without risk of damage to the pump
- Ideal for by-product and waste transfer

Features & Benefits:

- High pressure
- Solid handling
- Low shear
- Easy and limited maintenance



Where Innovation Flows



F-89000 AUXERRE - FRANCE
T: + 33.3.86.49.86.30
F: + 33.3.86.46.42.10
contact@mouvex.com
mouvex.com

SG	i" reserves the right to modify	the information and illu	istrations contained in this c	locument without prior notice.	This is a non-contractual document.	11-201

Authorized PSG Partner:

© 2016 Mouvex MVX-80002-C-01-A4